


MIK[®]
INTERNATIONAL



v.v.m
tech trade

penning systems
watering systems



company profile

Quality Made in Germany, individual service and fast delivery: stable fitters from all over the world rely on our products and our reliability.

As a system supplier and producer of feeding technology and barn equipment, we have convinced renowned international dealers within a very short time and made a name for ourselves among experts.

We benefit from our origins: V-V-M is based in the Oldenburg Münsterland, one of the strongest finishing regions in Europe. Our employees know what they are talking about, help you find ideal solutions for your projects and how a product can be specifically improved.

Our company, founded in 2005, has grown rapidly from the beginning and has developed into a respectable medium-sized company. The merger with Mawick allows us to respond even better to the needs of our customers and to continue to grow in a fast-moving industry.

MIK INTERNATIONAL is one of the leading manufacturers of plastic flooring systems, primarily for pig farming from farrowing to piglet rearing to fattening, but also flooring systems for sheep, goats, calves as well as poultry and rabbits are sold around the globe.

In addition to innovation, the name MIK stands for quality, durability and stability, and has done so for 55 years.

MIK INTERNATIONAL and V-V-M TechTrade - your partners for the future



MIK INTERNATIONAL GmbH & Co. KG
Masselbach 27
56235 Ransbach-Baumbach
Germany

Tel. + 49 2922 885-600
Fax + 49 2922 885-670

info@mik-online.de
www.mik-online.de



V.V.M TechTrade GmbH
Kötterhof 17
49439 Steinfeld/Mühlen
Germany

Tel. + 49 5492 96218-0
Fax + 49 5492 96218-10

info@vvm-techtrade.de
www.vvm-techtrade.de

profiles.....	p. 4
feeder.....	p. 5
posts	p. 6
accessories.....	p. 10
watering systems	p. 12



profiles



50102 - 50162

Profile System

- upper / lower side smooth, CoEx
- color: light grey

50102.....size: 500 mm x 35 mm, Qty: 40 Stk.
50132.....size: 750 mm x 35 mm, Qty: 20 Stk.
50145.....size: 850 mm x 35 mm, Qty: 20 Stk.
50162.....size: 1000 mm x 35 mm, Qty: 20 Stk.




50020 - 50085

Profile System

- tongue and groove
- color: light grey

50020.....size: 200 mm x 35 mm, Qty: 60 Stk.
50045.....size: 250 mm x 35 mm, Qty: 58 Stk.
50085.....size: 500 mm x 35 mm, Qty: 30 Stk.
50070.....size: 500 mm x 50 mm, Qty: 20 Stk.



50175 - 50252

Profile

- material: PVC
- color: light grey
- wall thickness 3 mm, length 6.000 mm

50175.....oval-profile 70 mm x 35 mm
50185.....connector for Oval-profile, black
50186.....end cap for Oval-profile, black
50200.....U-profile inside: 50 mm
50210.....U-profile inside: 35 mm
50237.....corner-profile 40 mm / 60 mm
50251.....H-profile inside: 2x 35 mm
50252.....H-profile inside: 1 x 35 mm & 1 x 50 mm

feeder



55800-55801

Feeder for weaner and finisher

- 60 l feed hopper
- 30 – 35 animals per feeder
- optimized trough design for less feed wastage
- dosing above trough
- integrated mixer to avoid feed bridging in feed hopper

55800.....for weaner (7-30 kg) trough with 1 drinking bowl,
Qty: 5 pcs./box

55801.....for finisher (7/30–130 kg) trough with two drinking bowls,
Qty: 6 Stk./box



55900

Feeder for finisher

with pendulum, SST-trough with 2 drinking bowls for finisher (25 kg to 130 kg)

- 30 - 35 animals per feeder
- dosing above the trough by pendulum-mechanism
- height: 1,60 m, width: 0,88 m, depth: 0,66 m
- unassembled

Qty: 1 pcs.



55800-35- 55800-40

Floor angle and posts for feeder

Matching feeder 55800 and 55801

- material: SST

Qty: 1 pcs.

55800-35floor angle 210 x 120 mm

55800-36U-post with footplate 145 mm x 115 mm

55800-37post 40 x 40 mm with footplate 145 mm x 115 mm

55800-40connection post for 2 feeders



55800-38

Plastic pad for feeder

- color: black
- size: 1200 mm x 1200 mm x 8 mm
- material: PE

Qty: 1 pcs.

posts



51080 - 51095-1,5

U-wall profile

SST, 1,5 mm thick

Qty: 1 pcs.

51080.....500 x 35 mm

51084.....750 x 35 mm

51095-1,51000 x 35 mm



51040 - 51050-1,5

Door profile

SST, 1,5 mm thick

- for 35 mm profile boards
- with door slope 10 mm
- H: 500 mm
- T: 1,50 mm

Qty: 1 pcs.

51040.....500 x 35 mm

51043.....750 x 35 mm

51050-1,51000 x 35 mm



51061 OFP - 51071 OFP

Double corridor post

SST

- Without footplate

Qty: 1 pcs.

51061 OFP500 x 35 mm

51064 OFP750 x 35 mm

51071 OFP1000 x 35 mm



51197 - 51199

Middle corner post

SST, 1,5 mm thick

Qty: 1 pcs.

51197.....500 x 35 mm

51198.....750 x 35 mm

51199.....1000 x 35 mm



51194 - 51196

For solid wall

SST

- with flap 2,5 mm

Qty: 1 pcs.

51194.....500 x 35 mm
51195.....750 x 35 mm
51196.....1000 x 35 mm



51172 - 51175

Corner profile

SST, 1,5 mm thick

Qty: 1 pcs.

51172.....500 x 35 mm
51173.....750 x 35 mm
51175.....1000 x 35 mm



51162 - 51165

T-profile

SST, 1,5 mm thick

Qty: 1 pcs.

51162.....500 x 35 mm
51164.....750 x 35 mm
51165.....1000 x 35 mm



51060 - 51070-1,5

Corridor post

SST, 1,5 mm thick

- with flap 2,5 mm

Qty: 1 pcs.

51060.....500 x 35 mm
51069.....750 x 35 mm
51070-1,51000 x 35 mm



51029 - 51033

Delta profile

SST, 2 mm thick

Qty: 1 pcs.

51029.....760 x 35 mm, incl. footplate 4 mm screwed
51031.....1010 x 35 mm, incl. footplate 4 mm screwed
A-07550.....760 x 35 mm, incl. footplate 4 mm edged
A-10050.....1010 x 35 mm, incl. footplate 4 mm edged
51032.....760 x 35 mm, incl. footplate 4 mm welded
51033.....1010 x 35 mm, incl. footplate 4 mm welded



51152

Door lock for door profile

• material: SST

Qty: 1 pcs.



52007 - 52010

Floor angle

SST, 4 mm thick

VPE: 1 Stk.

52007.....100 x 100 x 40 mm
52010.....120 x 120 x 70 mm



52017

Floor angle

SST, 4 mm thick

• 90 x 95 x 66 mm

Qty: 1 pcs.



53080

Floor anchor, T-shape, M8

for concrete floors

• with self-locking nut M8
• with 8,4 x 25 washer

Qty: 35 pcs.



53010-10 – 53025-10

V.V.M slat anchor M8

contains:

- nut V4A M8
- PA Fleck-screw V2A 8x70
- washer V2A 8,4x25
- mounting lever
- color: green

Qty: 250 pcs. per box / 25 pcs. per bag

53010-10V.V.M slat anchor M8

53025-10V.V.M slat anchor M10



53030-10

V.V.M slat anchor M8

for plastic slats, color: black

Qty: 250 pcs. per Box / 25 bags with

- 10 pcs. per bag
- 10 U-discs VA 8,4x25
- 10 PA screws 8x70



53061

Slat anchor FLOW DRILL M8

for plastic slats

- made of stainless steel

Qty: 500 pcs.



53065 - 53070

Slat anchors FLOW DRILL

for concrete slats

- made of stainless steel

Qty: 250 pcs. per box / 25 bags with 10 pcs.

53065.....Slat anchor FLOW DRILL M8

53070.....Slat anchor FLOW DRILL M10



53060

Mounting lever

for stainless steel anchor FLOW DRILL

Qty: 100 pcs.

accessories



53045

Stainless steel slat anchor

- with M10 stopping nut
- for concrete slats

Qty: 100 pcs.



53046

Mounting lever

for stainless steel slat anchors M10

Qty: 1 pcs.



53075

Slat anchor MK

- M10, cast stainless steel
- TX50 M10x90
- Tuflox spot coated

Qty: 100 pcs.



50173

1" pipe, galvanized

length: 6.000 mm

Qty: 91 pcs.



53100 - 53115

End cap 1"

- intake 35/40 mm
- material: PP

Qty: 380 pcs. / Box (7.600 pcs. / pallet)

53100.....color: blue

53110.....color: green

53115.....color: black

more colors on demand



53215

Handle

- color: black

Qty: 150 pcs. / 2400 pcs. / pallet



53216

U-holder for handle

- for 35mm pen partition system profiles
- color: black

Qty: 150 pcs.



53210

Handle

- for 35 mm profile boards
- stainless steel

Qty: 1 pcs.



49019

Feeding pan with 6 feeding places

- with separators
- Ø 295 mm, rim-height: 61 mm
- volume: 3,5 l

Qty: 1 pcs.

watering systems



68900

Drinking bowl for piglets

- up to 15 kg
- material: stainless steel
- internal thread

Qty: 1 pcs.



68901 - 68903

Drinking bowl

- with rounded edges to prevent accumulation of dirty water
- Closed design prevents contamination
- Drinking nipple releases only the required amount, water-saving
- material: stainless steel

Qty: 1 pcs.

68901.....Model MINI, 150 x 210 x 90 mm (WxHxD)

68902.....Model STANDARD, 180 x 270 x 110 mm (WxHxD)

68903.....Model MULTI, 210 x 290 x 130 mm (WxHxD)



68904

Drinking bowl MAXI

- with rounded edges to prevent accumulation of dirty water
- closed design prevents contamination
- drinking nipple releases only the required amount, water-saving
- dimension: 220 x 300 x 150 mm (WxHxD)
- material: stainless steel

Qty: 1 pcs.



68000

Stainless steel pipe for bite nipple

- 1 exit 30° 1/2" Internal thread
- 1 holder
- length = 750 mm

Qty: 1 pcs.



55800-22

Pipe for drinking bowl

- straight
- 1/2" external thread/external thread
- length = 980 mm

Qty: 1 pcs.



68045 - 68060

Bite nipple

- external thread, hex
- material: stainless steel

Qty: 1 pcs.

68045.....3/8"-1/2" for weaner
68050.....1/2", for sows and finisher
68055.....1/2", for sows and finisher
68060.....Trough nipple 1/2", for weaner and finisher, internal thread



55800-23

Drinking nipple 1/2"

- for feeder
- internal thread

Qty: 1 pcs.



67890

Aqua-Level Set

consisting of:

- Aqua-Level
- water pipe 1200 mm

Qty: 1 pcs.

67891.....like 67890 but without pipe



67800

Dosatron

- DE25 RE2/0,2-2

Qty: 1 pcs.



66715-66730

PVC pressure pipe

- color: black

66715.....PN10 25 mm, length: 5 mtr.

66720.....PN10 32 mm, length: 5 mtr., Qty: 340 pcs.

66730.....PN10 50 mm, length: 5 mtr.



64970

Ball valve

- PVC, 32mm
- color: blue

Qty: 1 pcs.



62411 - 62412

Corner

Qty: 90 pcs.

62411.....angle 90° KM, PVC 32 mm

62412.....angle 45° KM, PVC 32 mm



62795 - 62796

T-piece 90°

62795.....KM, PVC, 32 mm, Qty: 16 pcs.

62796.....32 x 1/2" x 32 mm, sleeve x thread x sleeve, PVC, VPE: 1 pcs.



63105

Glueing sleeve

- 32 mm
- material: PVC
- Color: black

Qty: 16 pcs.



65986 - 65988

PVC-connector

65986.....32 x 1/2" internal thread, Qty: 250 pcs.

65987.....25 x 32 x 3/4" internal thread, Qty: 250 pcs.

65988.....32 x 40 x 1" internal thread, Qty: 10 pcs.



67000 – 67015

Aquaspeed T-connector

color: black

67000.....15 mm, color: black, Qty: 50 pcs.
67005.....22 mm, ATU222222M, Qty: 20 pcs.
67015.....22 x 15 x 22, red. T-connector, Qty: 30 pcs.



67090 – 67095

Aquaspeed Adapter

- M/internal thread, flat
- color: black

67090.....15 mm x 1/2", ASUC1507M, Qty: 80 pcs.
67095.....15 mm x 3/4", Qty: 100 pcs.



67160, 67162, 67185

Aquaspeed Adapter M/external thread

- color: black

67160.....15mm x 1/2, AMCB1507M, Qty: 150 pcs.
67162.....as clamping piece, M/external thread 15 mm x 3/4",
Qty: 100 pcs.
67185.....22 mm x 3/4, Qty: 40 pcs.



67327

Aquaspeed Y-piece 15 mm

- color: black

Qty: 50 pcs.



67340-67355

Aquaspeed shut-off valve

- color: black

Qty: 1 pcs.

67340.....22 mm
67355.....15 mm



67441 – 67445

Aquaspeed PE-hose

- color: black

Qty: 100 mtr.

67441.....Ø 15 mm, PN7

67445.....Ø 22 mm, PN7



66920 – 66925

Aquaspeed sleeve

- color: black

Qty: 1 pcs.

66920.....Ø 15 mm

66925.....Ø 22 mm



66950 – 66970

Aquaspeed corner 90°

- color: black

66950.....corner 15 mm, Qty: 80 pcs.

66951.....corner M/internal thread 15 mm x 1/2", Qty: 50 pcs.

66955.....corner 22 mm

66970.....corner 15 mm x 15 mm hose, sleeve x hose tip, Qty: 100 pcs.



67838

Waterfilter

Qty: 1 pcs.



67834

Manometer

63 mm, 0–10 bar 1/4" Axial/back



67830

Pressure regulator 1"

- Pressure reducer
- for water, compressed air
- in sanitary, heating and air conditioning
- 1" internal thread

Qty: 1 pcs.



67835

Manometer

- 100 mm, 0-10bar 1/4"Radial/Bottom

Qty: 1 pcs.



91010


**Bracket for water pipe on chain conveyer
80 mm**

- bracket 80/32
- Color: black

Qty: 300 pcs

MIK[®]

INTERNATIONAL



v.v.m
tech trade

MIK INTERNATIONAL GmbH & Co. KG
Masselbach 27
56235 Ransbach-Baumbach
Germany

Tel. + 49 2922 885-600
Fax + 49 2922 885-670

info@mik-online.de
www.mik-online.de

V.V.M TechTrade GmbH
Kötterhof 17
49439 Steinfeld/Mühlen
Germany

Tel. + 49 5492 96218-0
Fax + 49 5492 96218-10

info@vvm-techtrade.de
www.vvm-techtrade.de